SEQUENCE LISTING

```
<110> Kumaraswamy, Sriram
     Achyuthan, Komandoor
      Shi, Xiaobo
     Bergstedt, Troy
     Rininsland, Frauke
     McBranch, Duncan Whitten, David
<120> Assays for Protease Enzyme Activity
<130> 8971-032-27
<160> 9
<170> FastSEQ for Windows Version 4.0
<210> 1
<211> 9
<212> PRT
<213> Artificial Sequence
<220>
<223> segment capable of recognizing and interacting
      with beta-secretase
Ser Glu Val Asn Leu Asp Ala Glu Phe
 1
<210> 2
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> peptide substrates employed in assay for
      beta-secretase
<221> BINDING
<222> 1
<223> Amino acid 1 (Thr) is attached by QSY-7 formula
<221> BINDING
<222> 14
<223> Amino acid 14 (Lys) is attached at the epsilon amino
      position to the biotin moiety
<400> 2
Thr Glu Glu Ile Ser Glu Val Asn Leu Asp Ala Glu Phe Lys
                  5
```

```
<210> 3
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> peptide substrates employed in assay for
      beta-secretase
<221> BINDING
<222> 1
<223> Amino acid 1 (Thr) is attached to the QSY-7 moiety
<221> BINDING
<222> 14
<223> Amino acid 14 (Lys) is attached at the epsilon amino
      position to the PEG-biotin moiety
<400> 3
Thr Glu Glu Ile Ser Glu Val Asn Leu Asp Ala Glu Phe Lys
                 5
                                     10
<210> 4
<211> 14
<212> PRT
<213> Artificial Sequence
<220>
<223> peptide substrates employed in assay for
      beta-secretase
<221> BINDING
<222> 1
<223> Amino acid 1 (Thr) is attached by AZO formula
<221> BINDING
<222> 14
<223> Amino acid 14 (Lys) is attached at the epsilon amino
      position to the biotin moiety
<400> 4
Thr Glu Glu Ile Ser Glu Val Asn Leu Asp Ala Glu Phe Lys
                                     1.0
                  5
<210> 5
<211> 15
<212> PRT
<213> Artificial Sequence
<220>
<223> peptide substrates employed in assay for
      beta-secretase
<221> BINDING
<222> 1
```

```
<223> Amino acid 1 (Thr) is attached by the AZO moiety
<221> BINDING
<222> 15
<223> Amino acid 15 (Lys) is attached at the epsilon amino
     position to the biotin moiety
<400> 5
Thr Lys Lys Ile Ser Glu Val Asn Leu Asp Ala Glu Phe Arg Lys
                                 10
<210> 6
<211> 12
<212> PRT
<213> Artificial Sequence
<220>
<223> statine-derived peptide inhibitor of
     beta-secretase
<221> BINDING
<222> 8,9
<223> Amino acids 8 and 9 (Asn and Val) are attached by
     a statine residue
<400> 6
Lys Thr Glu Ile Ser Glu Val Asn Val Ala Glu Phe
<210> 7
<211> 4
<212> PRT
<213> Artificial Sequence
<220>
<223> bioconjugate structure
<221> BINDING
<222> 4
<223> Amino acid 4 (Asp) is attached by the QSY-7' moiety
<400> 7
Asp Glu Val Asp
1
<210> 8
<211> 4
<212> PRT
<213> Artificial Sequence
<220>
```

```
<223> bioconjugate structure
<221> BINDING
<222> 4
<223> Amino acid 4 (Asp) is attached by a Cyanine
     Dye Moiety
<400> 8
Asp Glu Val Asp
<210> 9
<211> 4
<212> PRT
<213> Artificial Sequence
<223> segment capable of being cleaved by a caspase
      enzyme
<400> 9
Asp Glu Val Asp
 1
```